

APR. 12. 2007 3:23PM

CHOATE HALL & STEWART 6172484000

NO. 755

P. 2

RECEIVED
CENTRAL FAX CENTER

APR 12 2007

Attorney Docket No: 0492611-0526
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Harry Lee
Serial No.: ~~11/917,409~~ 10/717409
Filing Date: November 18, 2003
Title: PERISTALTIC MIXING AND OXYGENATION SYSTEM

Examiner: Bushey, Charles S

Art Unit: 1724

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate of Facsimile Transmission
I certify that this correspondence is being transmitted via facsimile to (mail stop applicable), Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, via facsimile no. 571-273-8300
April 12, 2007
Date
Signature
Elizabeth Burke
Typed or Printed Name of person signing certificate

Sir:

RESPONSE TO OFFICE ACTION UNDER 37 C.F.R. § 1.111

Responsive to the Office Action mailed on October 24, 2006, Applicant requests entrance of the following Amendments and consideration of the following Remarks.

Please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this Response.

Remarks begin on page 5 of this Response.